



DIMENSIONS

Ø1.65in (42mm)	Ø1.42in (36mm)	Ø1.57in (40mm)
		3.30in (84mm)

ACCESORIES





BEAM MIXER DIFFUSER

ANTI-GLARE HONEYCOMB LOUVER

AWARDS









PRODUCT Name

Reference Color

Category

IO SURFACE UL 56° 3000K NT U2630131NT Textured black

LIGHT SOURCE

SURFACE

Type Gross luminous flux Color temperature Chromatic stability Color Rendering Index Power Current LED lifespan

LED Depending on Mounting Accessories Lm 3000 K MacAdam Step 2 CRI>90 Depending on Mounting Accessories $\ensuremath{\mathsf{W}}$ Depending on Mounting Accessories mA L90B10>55.000h

Lighting efficiency Delivered luminous flux

Light beam angle

LIGHTING FIXTURE | PHOTOMETRIC DATA

0 Lm 56°

LIGHTING FIXTURE | ELECTRICAL DATA

Driver Requires remote driver Power values of the system Depending on Mounting Accessories Frequency Depending on Mounting Accessories Dimming

Materials

Environmental location Junction box cover Junction box cover color Junction box cover measurements Swivel angle Rotation angle Weight Packaged weight Packaging dimensions

OTHER DATA

Included. For octogonal Junction box $\label{thm:constraint} \textbf{Textured white. Other finishing, please consult}$ Ø5.51 in | Ø140 mm 325° 355° 0.76 lb | 343 gr 0.93 lb | 423 gr 7.99x6.77x2.83 in | 203x172x72 mm



Aluminium - Polycarbonate

10 is a LED spotlight miniaturised in a fixture that is so small that it fits on the palm of your hand. Designed for accent lighting applications, its small dimensions mean it can be fitted in display cabinets, shop windows and small places without generating an invasive presence on the scene.







	PRODUCT
Model	Beam Mixer Diffuser
Reference	0805-01-00
Category	Accessories
	NOT SOLD SEPARATELY


AFFECTS THE LIGHTING PARAMETERS

The Beam Mixer Diffuser is used to smooth beam artifacts caused by parabolic, Fresnel, or TIR lens collimators without significant broadening.

The unique mixing design provides superior far-field smoothing and color mixing with high on-axis brightness. Compared with traditional diffusers, it maintains higher central beam candlepower (CBCP), and produce less undesirable "field light" at higher angles.







PRODUCT

Model	
Reference	
Colour	
Category	

Anti-glare Honeycomb Louver	
0806-00-00 WT NT	
WT ☐ Textured white NT ■ Textured black	
Accessories	
NOT SOLD SEPARATELY	
AFFECTS THE LIGHTING PARAMETERS	

Accessory made up of louver in the shape of a honeycomb panel to reduce glare and the effects of direct rays of vision.

