



DIMENSIONS

Ø1.65in (42mm)	Ø1.42in (36mm)	Ø1.57in (40mm)
		3.30in (84mm)

ACCESORIES





BEAM MIXER DIFFUSER

ANTI-GLARE HONEYCOMB

AWARDS









PRODUCT

Name Reference

Color

Category

IO SURFACE UL 30° 2700K NT

U2630120NT

Textured black

SURFACE

LIGHT SOURCE Type LED Gross luminous flux Depending on Mounting Accessories Lm Color temperature 2700 K Chromatic stability MacAdam Step 2 Color Rendering Index CRI>90 Power Depending on Mounting Accessories $\ensuremath{\mathsf{W}}$ Depending on Mounting Accessories mA Current LED lifespan L90B10>55.000h

LIGHTING FIXTURE | PHOTOMETRIC DATA

Lighting efficiency 89%

Delivered luminous flux 0 Lm

Light beam angle 30°

LIGHTING FIXTURE | ELECTRICAL DATA

 Driver
 Requires remote driver

 Power values of the system
 W

 Frequency
 Depending on Mounting Accessories

 Dimming
 Depending on Mounting Accessories

OTHER DATA

Environmental location Junction box cover Included. For octogonal Junction box Junction box cover color $\label{thm:constraint} \textbf{Textured white. Other finishing, please consult}$ Junction box cover measurements Ø5.51 in | Ø140 mm Swivel angle 325° 355° Rotation angle Weight 0.76 lb | 343 gr 0.93 lb | 423 gr Packaged weight Packaging dimensions 7.99x6.77x2.83 in | 203x172x72 mm Materials Aluminium - Polycarbonate



IO is a LED spotlight miniaturised in a fixture that is so small that it fits on the palm of your hand. Designed for accent lighting applications, its small dimensions mean it can be fitted in display cabinets, shop windows and small places without generating an invasive presence on the scene.







	PRODUCT
Model	Beam Mixer Diffuser
Reference	0805-01-00
Category	Accessories
	NOT SOLD SEPARATELY


AFFECTS THE LIGHTING PARAMETERS

The Beam Mixer Diffuser is used to smooth beam artifacts caused by parabolic, Fresnel, or TIR lens collimators without significant broadening.

The unique mixing design provides superior far-field smoothing and color mixing with high on-axis brightness. Compared with traditional diffusers, it maintains higher central beam candlepower (CBCP), and produce less undesirable "field light" at higher angles.







PRODUCT

Model	
Reference	
Colour	
Category	

Anti-glare Honeycomb Louver	
0806-00-00 WT NT	
WT ☐ Textured white NT ■ Textured black	
Accessories	
NOT SOLD SEPARATELY	
AFFECTS THE LIGHTING PARAMETERS	

Accessory made up of louver in the shape of a honeycomb panel to reduce glare and the effects of direct rays of vision.

