iO SURFACE



	PRODUCT
Nar	
Referer	
Co	
Categr	SURFACE
and the second se	
	LIGHT SOURCE
Ту	pe LED
Gross luminous f	ux Depending on Mounting Accessories Lm
Color temperatu	re 4000 K
Chromatic stabi	ity MacAdam Step 2
Color Rendering Inc	ex CRI>90
Pov	rer Depending on Mounting Accessories W
Curre	nt Depending on Mounting Accessories mA
DIMENSIONS	an L90B10>55.000h
Lighting efficier Delivered luminous f Light beam and	
	LIGHTING FIXTURE PHOTOMETRIC DATA
Delivered luminous f	<u> </u>
Light beam any	
6mm) (40mm) 3.30in (84mm) Driv	er Requires remote driver
Power values of the syst	
Frequer	
Dimm	ng Depending on Mounting Accessories
	ng Depending on Mounting Accessories
Dimm	<u> </u>
ACCESORIES Dimmi	OTHER DATA
ACCESORIES Dimmi	OTHER DATA
ACCESORIES Dimmi	on DAMP Included. For octogonal Junction box
ACCESORIES Dimmi Comparison of the second s	OTHER DATA ON DAMP er Included. For octogonal Junction box or Textured white. Other finishing, please consult
ACCESORIES Dimmi R DIFFUSER ANTI-GLARE HONEYCOMB LOUVER Junction box cover co Junction box cover co Junction box cover measurement	OTHER DATA on DAMP rer Included. For octogonal Junction box or Textured white. Other finishing, please consult 05.51 in Ø140 mm
ACCESORIES Dimmi Diffuser ANTI-GLARE HONEYCOMB LOUVER Junction box cover Junction box cover co Junction box cover measurement Swivel and Swivel and	OTHER DATA on DAMP Included. For octogonal Junction box or Textured white. Other finishing, please consult Ø5.51 in Ø140 mm 325°
ACCESORIES Dimmi Carlinguage Diffuser ANTI-GLARE HONEYCOMB LOUVER Diffuser Junction box cover co Junction box cover measurement Swivel and Rotation	OTHER DATA On DAMP eer Included. For octogonal Junction box or Textured white. Other finishing, please consult Ø5.51 in Ø140 mm gle 325° gle
ACCESORIES Dimmi R DIFFUSER ANTI-GLARE HONEYCOMB LOUVER Junction box cover co Junction box cover co Junction box cover measurement Swivel and Rotation and Weig	OTHER DATA on DAMP rer Included. For octogonal Junction box or Textured white. Other finishing, please consult Ø5.51 in Ø140 mm gle 325° gle 355° ht 0.76 lb 343 gr
ACCESORIES Dimmi	OTHER DATA on DAMP rer Included. For octogonal Junction box or Textured white. Other finishing, please consult Ø5.51 in Ø140 mm gle 325° gle 355° ht 0.76 lb 343 gr ht 0.93 lb 423 gr
ACCESORIES Dimmi C Dim	OTHER DATA on DAMP rer Included. For octogonal Junction box or Textured white. Other finishing, please consult Ø5.51 in Ø140 mm gle 325° 355° ht 0.76 lb 343 gr 0.93 lb 423 gr ns 7.99x6.77x2.83 in 203x172x72 mm

IO is a LED spotlight miniaturised in a fixture that is so small that it fits on the palm of your hand. Designed for accent lighting applications, its small dimensions mean it can be fitted in display cabinets, shop windows and small places without generating an invasive presence on the scene.

JOKERLIGHT LLC 333 SE 2nd Av, Suite 2000 · Miami, FL 33131 (USA) info@jokerlight.com · jokerlight.com

PREMIO ADCV 2017 ORO ΠF

19-08-25 / 14:43

5Year





PRODUCT

Model
Reference
Category


PRODUCT
Beam Mixer Diffuser
0805-01-00
Accessories
NOT SOLD SEPARATELY AFFECTS THE LIGHTING PARAMETERS

The Beam Mixer Diffuser is used to smooth beam artifacts caused by parabolic, Fresnel, or TIR lens collimators without significant broadening.

The unique mixing design provides superior far-field smoothing and color mixing with high on-axis brightness. Compared with traditional diffusers, it maintains higher central beam candlepower (CBCP), and produce less undesirable "field light" at higher angles.







PRODUCT

Model
Reference
Colour
Category

PRODUCT	
Anti-glare Honeycomb Louver	
0806-00-00 WT NT	
WT □ Textured white NT ■ Textured black	
Accessories	
NOT SOLD SEPARATELY	A
AFFECTS THE LIGHTING PARAMETERS	\odot

Accessory made up of louver in the shape of a honeycomb panel to reduce glare and the effects of direct rays of vision.

