



DIMENSIONS

Ø1.65in (42mm)	Ø1.42in (36mm)	2.75in (70mm)	Ø1.57in (40mm)
			(4011111)
			3.30in (84mm)

ACCESORIES





BEAM MIXER DIFFUSER

ANTI-GLARE HONEYCOMB

AWARDS









Name Reference Color

Category

Current

Type
Gross luminous flux
Color temperature
Chromatic stability
Color Rendering Index
Power

LED lifespan

Lighting efficiency Delivered luminous flux Light beam angle

Driver
Power values of the system
Frequency
Dimming

Environmental location

Junction box cover

Junction box cover color

Junction box cover measurements

Swivel angle

Rotation angle

Weight

Packaged weight

Packaging dimensions

Materials

PRODUCT

IO SURFACE UL 30° 2700K WT

U2630120WT

Textured white

SURFACE

LIGHT SOURCE

LED

Depending on Mounting Accessories Lm

2700 K

MacAdam Step 2

CRI>90

Depending on Mounting Accessories W

Depending on Mounting Accessories mA

L90B10>55.000h

LIGHTING FIXTURE | PHOTOMETRIC DATA

89% 0 Lm 30°

LIGHTING FIXTURE | ELECTRICAL DATA

Requires remote driver

W

Depending on Mounting Accessories

Depending on Mounting Accessories

OTHER DATA

DAMP
Included. For octogonal Junction box
Textured white. Other finishing, please consult

Ø5.51 in | Ø140 mm

325°

355°

0.76 lb | 343 gr

0.93 lb | 423 gr

Aluminium - Polycarbonate

7.99x6.77x2.83 in | 203x172x72 mm



IO is a LED spotlight miniaturised in a fixture that is so small that it fits on the palm of your hand. Designed for accent lighting applications, its small dimensions mean it can be fitted in display cabinets, shop windows and small places without generating an invasive presence on the scene.







	PRODUCT
Model	Beam Mixer Diffuser
Reference	0805-01-00
Category	Accessories
	NOT SOLD SEPARATELY


AFFECTS THE LIGHTING PARAMETERS

The Beam Mixer Diffuser is used to smooth beam artifacts caused by parabolic, Fresnel, or TIR lens collimators without significant broadening.

The unique mixing design provides superior far-field smoothing and color mixing with high on-axis brightness. Compared with traditional diffusers, it maintains higher central beam candlepower (CBCP), and produce less undesirable "field light" at higher angles.







PRODUCT

Model	
Reference	
Colour	
Category	

Anti-glare Honeycomb Louver	
0806-00-00 WT NT	
WT ☐ Textured white NT ■ Textured black	
Accessories	
NOT SOLD SEPARATELY	
AFFECTS THE LIGHTING PARAMETERS	

Accessory made up of louver in the shape of a honeycomb panel to reduce glare and the effects of direct rays of vision.

