



#### DIMENSIONS

Ø1.65in (42mm)		2.75in (70mm)
	Ø1.42in	Ø1.57in
	(36mm)	(40mm)
	•—•	•
		3.30in (84mm)

#### ACCESORIES





BEAM MIXER DIFFUSER

ANTI-GLARE HONEYCOMB LOUVER

## AWARDS









# Name Reference Color Category

Туре	
Gross luminous flux	
Color temperature	
Chromatic stability	
Color Rendering Index	
Power	
Current	
LED lifespan	

Lighting efficiency
Delivered luminous flux
Light beam angle

Driver
Power values of the system
Frequency
Dimming

Environmental location
Junction box cover
Junction box cover color
Junction box cover measurements
Swivel angle
Rotation angle
Weight
Packaged weight
Packaging dimensions
Materials

## PRODUCT

10	O SURFACE UL 56º 4000K WT
U	12630132WT
Т	extured white
S	URFACE

LIGHT SOURCE	
LED	
Depending on Mounting Accessories Lm	
4000 K	
MacAdam Step 2	
CRI>90	
Depending on Mounting Accessories W	
Depending on Mounting Accessories mA	
L90B10>55.000h	

LIGHTING FIXTURE   PHOTOMETRIC DATA	PHOTOMETRIC DATA	
86%		
0 Lm		

Depending on Mounting Accessories	

LIGHTING FIXTURE | ELECTRICAL DATA

DAMP	
Included. For octogona	Junction box
Textured white. Other f	inishing, please consult
Ø5.51 in   Ø140 mm	
325°	
355°	
0.76 lb   343 gr	
0.93 lb   423 ar	



 $\frac{\text{7.99x6.77x2.83 in } \mid \text{203x172x72 mm}}{\text{Aluminium - Polycarbonate}}$ 

OTHER DATA

IO is a LED spotlight miniaturised in a fixture that is so small that it fits on the palm of your hand. Designed for accent lighting applications, its small dimensions mean it can be fitted in display cabinets, shop windows and small places without generating an invasive presence on the scene.







	PRODUCT
Model	Beam Mixer Diffuser
Reference	0805-01-00
Category	Accessories
	NOT SOLD SEPARATELY


AFFECTS THE LIGHTING PARAMETERS

The Beam Mixer Diffuser is used to smooth beam artifacts caused by parabolic, Fresnel, or TIR lens collimators without significant broadening.

The unique mixing design provides superior far-field smoothing and color mixing with high on-axis brightness. Compared with traditional diffusers, it maintains higher central beam candlepower (CBCP), and produce less undesirable "field light" at higher angles.







PRODUCT

Model	
Reference	
Colour	
Category	

Anti-glare Honeycomb Louver	
0806-00-00   WT   NT	
WT ☐ Textured white   NT ■ Textured black	
Accessories	
NOT SOLD SEPARATELY	
AFFECTS THE LIGHTING PARAMETERS	<b>(3)</b>

Accessory made up of louver in the shape of a honeycomb panel to reduce glare and the effects of direct rays of vision.

