



#### **DIMENSIONS**

		_ [mm]	
Ø1.65in (42mm)		2.75in (70mm)	
	Ø1.42in (36mm)	.2	Ø1.57in (40mm)
			3.30in (84mm)

## **ACCESORIES**





BEAM MIXER DIFFUSER

ANTI-GLARE HONEYCOMB LOUVER

## AWARDS









Reference U2630130NT Color

Category

Name

# PRODUCT

IO SURFACE UL 56° 2700K NT

Textured black

SURFACE

## LIGHT SOURCE

Type LED

Gross luminous flux Color temperature

Chromatic stability

Color Rendering Index Power

Current

LED lifespan

Depending on Mounting Accessories Lm

2700 K

MacAdam Step 2

CRI>90

Depending on Mounting Accessories  $\ensuremath{\mathsf{W}}$ 

Depending on Mounting Accessories mA

L90B10>55.000h

## LIGHTING FIXTURE | PHOTOMETRIC DATA

Lighting efficiency Delivered luminous flux

Light beam angle

0 Lm

56°

## LIGHTING FIXTURE | ELECTRICAL DATA

Driver

Power values of the system

Frequency

Dimming

Requires remote driver

Depending on Mounting Accessories

Depending on Mounting Accessories

## OTHER DATA

Environmental location

Junction box cover

Junction box cover color

Junction box cover measurements

Swivel angle

Rotation angle

Weight

Packaged weight

Packaging dimensions Materials

Included. For octogonal Junction box

 $\label{thm:constraint} \textbf{Textured white. Other finishing, please consult}$ 

Ø5.51 in | Ø140 mm

325°

355°

0.76 lb | 343 gr

0.93 lb | 423 gr

7.99x6.77x2.83 in | 203x172x72 mm

Aluminium - Polycarbonate



10 is a LED spotlight miniaturised in a fixture that is so small that it fits on the palm of your hand. Designed for accent lighting applications, its small dimensions mean it can be fitted in display cabinets, shop windows and small places without generating an invasive presence on the scene.







	PRODUCT
Model	Beam Mixer Diffuser
Reference	0805-01-00
Category	Accessories
	NOT SOLD SEPARATELY


AFFECTS THE LIGHTING PARAMETERS

The Beam Mixer Diffuser is used to smooth beam artifacts caused by parabolic, Fresnel, or TIR lens collimators without significant broadening.

The unique mixing design provides superior far-field smoothing and color mixing with high on-axis brightness. Compared with traditional diffusers, it maintains higher central beam candlepower (CBCP), and produce less undesirable "field light" at higher angles.







PRODUCT

Model	
Reference	
Colour	
Category	

Anti-glare Honeycomb Louver	
0806-00-00   WT   NT	
WT ☐ Textured white   NT ■ Textured black	
Accessories	
NOT SOLD SEPARATELY	
AFFECTS THE LIGHTING PARAMETERS	

Accessory made up of louver in the shape of a honeycomb panel to reduce glare and the effects of direct rays of vision.

